

Iteco code: 7805.876

Revision nr. 11 **DIANOS SRL** Dated 15/10/2015 Printed on 29/02/2016 35 - ANTISTATIC Page n. 1/11

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

35 Code:

ANTISTATIC Product name Chemical name and synonym Antistatic floor wax

1.2. Relevant identified uses of the substance or mixture and uses advised against

Antistatic floor wax Intended use

1.3. Details of the supplier of the safety data sheet

DIANOS SRL Name VIA S. PELLICO 19 Full address

District and Country 20093 COLOGNO MONZESE (MI)

ITALIA

Tel. +39022542933 Fax +390227300792

e-mail address of the competent person

responsible for the Safety Data Sheet massimo.zibra@dianos.net

1.4. Emergency telephone number

+39022542933 For urgent inquiries refer to

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

EUH210 Safety data sheet available on request.

Precautionary statements: n.a.

DIANOS SRL Revision nr. 11 35 - ANTISTATIC Printed on 29/02/2016 Page n. 2/11 Printed on 29/02/2016

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP).

INERT

CAS. - 50 - 100

EC. -INDEX. -

DIPROPYLENE GLYCOL MONOMETHYL ETHER

CAS. 34590-94-8 5 - 15 Substance with a community workplace exposure limit.

EC. 252-104-2

INDEX. -

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-DIOL

CAS. 25265-77-4 1 - 5

EC. 246-771-9 INDEX. -

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

DIANOS SRL	Revision nr. 11
	Dated 15/10/2015
35 - ANTISTATIC	Printed on 29/02/2016
	Page n. 3/11

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire if it is safe to do so

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

DIANOS SRL Revision nr. 11 Dated 15/10/2015 Printed on 29/02/2016 Page n. 4/11 Page n. 4/11

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

DEU Deutschland MAK-und BAT-Werte-Liste 2012

FRA France JORF n°0109 du 10 mai 2012 page 8773 texte n° 102

GRB United Kingdom EH40/2005 Workplace exposure limits ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

EU OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC;

Directive 2000/39/EC.

TLV-ACGIH ACGIH 2014

DIPROPYLENE GLYCOL MONOMETHYL ETHER

d Limit Value. Country TWA/8h STEL/15min
Country TWA/8h STEL/15min
mg/m3 ppm mg/m3 ppm
DEU 310 50 310 50
DEU 310 50 310 50
FRA 308 50 SKIN.
GRB 308 50 SKIN.
ITA 308 50 SKIN.
EU 308 50 SKIN.
606 100 909 150 SKIN.

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

DIANOS SRL	Revision nr. 11
	Dated 15/10/2015
35 - ANTISTATIC	Printed on 29/02/2016
	Page n. 5/11

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance liquid Rianco latte Colour Odour characteristic Odour threshold. Not available. 8,5+/-0,5 Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. Flash point. > 60 °C **Evaporation Rate** Not available. Flammability of solids and gases Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Not available. Vapour density Relative density. 1,050 Kg/l insoluble Solubility Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available Not available. Decomposition temperature. Viscosity Not available. Not available. Explosive properties Oxidising properties Not available.

9.2. Other information.

DIANOS SRL Revision nr. 11 35 - ANTISTATIC Printed on 29/02/2016 Page n. 6/11 Page n. 6/11

Solid content. 1,12 %

VOC (Directive 2010/75/EC): 8,00 % - 84,00 g/litre. VOC (volatile carbon): 4,53 % - 47,61 g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: may react with oxidising agents. When heated to decomposition it releases harsh and irritating fumes and vapours.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-DIOL

DIANOS SRL Revision nr. 11 35 - ANTISTATIC Printed on 29/02/2016 Page n. 7/11 Page n. 7/11

LD50 (Oral).6500 mg/kg Rat - Carworth-Wistar LD50 (Dermal).> 15200 mg/kg Rabbit - New Zeland white

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-

DIOL

LC50 - for Fish. 33 mg/l/96h Pimephales promelas EC50 - for Crustacea. 147,8 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic > 57 mg/l/72h Pseudokirchnerella subcapitata

Plants.

12.2. Persistence and degradability.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Solubility in water. mg/l 1000 - 10000

Rapidly biodegradable.

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-

DIOL

Solubility in water. 1360 mg/l

Rapidly biodegradable.

12.3. Bioaccumulative potential.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Partition coefficient: n- 0,0043

octanol/water.

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-

DIOL

Partition coefficient: n- 3,2

octanol/water.

BCF. 44,1

12.4. Mobility in soil.

ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-

DIANOS SRL	Revision nr. 11
DIANOS SILE	Dated 15/10/2015
35 - ANTISTATIC	Printed on 29/02/2016
33 - ANTISTATIO	Page n. 8/11
TRIMETHYLPENTANE-1,3- DIOL Partition coefficient: 2,2181 soil/water. 12.5. Results of PBT and vPvB assessment. On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.	
12.6. Other adverse effects.	
Information not available.	
SECTION 13. Disposal considerations.	
13.1. Waste treatment methods.	
Reuse, when possible. Neat product residues should be considered special non-hazardous waste.	
Disposal must be performed through an authorised waste management firm, in compliance with national and local rec CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulation	
SECTION 14. Transport information.	
14.1. UN number.	
Not applicable.	
14.2. UN proper shipping name.	
Not applicable.	
14.3. Transport hazard class(es).	
Not applicable.	
14.4. Packing group.	
Not applicable.	
14.5. Environmental hazards.	

DIANOS SRL	Revision nr. 11 Dated 15/10/2015
35 - ANTISTATIC	Printed on 29/02/2016
00 - ANTIOTATIO	Page n. 9/11
Not applicable.	
14.6. Special precautions for user.	
Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.	
Information not relevant.	
SECTION 15. Regulatory information.	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.	
Seveso category. None.	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.	
None.	
Substances in Candidate List (Art. 59 REACH).	
None.	
Substances subject to authorisarion (Annex XIV REACH).	
None.	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None.	
Substances subject to the Rotterdam Convention:	
None.	
Substances subject to the Stockholm Convention:	
None.	
Healthcare controls.	
Information not available.	
Ingredients according to Regulation (EC) No. 648/2004	
Less than 5% non-ionic surfactants	

Revision nr. 11 **DIANOS SRL** Dated 15/10/2015 Printed on 29/02/2016 35 - ANTISTATIC Page n. 10/11

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

DIANOS SRL	Revision nr. 11
	Dated 15/10/2015 Printed on 29/02/2016
35 - ANTISTATIC	Page n. 11/11
	1 - 2
Provide appointed staff with adequate training on how to use chemical products.	
Changes to previous review: The following sections were modified: 02 / 08.	
02 / 08.	